

# 温州乔正刺绣机械有限公司 WENZHOU QIAOZHENG MACHINERY CO., LTD.

PROFESSIONAL EMBROIDERY EQUIPMENT  
SOLUTION PROVIDER



QIAOZHENG

乔正刺绣始建于2005年，是一家集研究绣花机、绣花机配件及绣花机装置开发、生产、销售（服务）、为一体的加工制造和销售服务生产商，乔正积累了行业领先的绣花机及配件的制造和销售经验。

公司专业绣花机及绣花机装置，诸如亮片绣装置，绳绣装置，毛巾绣装置、珠子绣装置、珠管绣装置、冲片机、花边机、补绣机等产品，广泛应用于国内外的绣花工厂，产品远销世界各地。在国内外有着优良的口碑。

乔正拥有专业和资深的研发团队，高级工程师拥有40年的绣花机研发经验，以确保时刻完善产品质量以更好地服务客户。

公司生产、管理、经营严格按照ISO9001和CE国际质量认证体系执行，公司坚信“创新、品质、诚信”的企业理念，始终坚持创新领先市场，严保质量精益求精，诚信合作追求双赢。

Qiaozheng, founded in 2005, is an integrated manufacturer and service provider specializing in R&D, production and distribution of embroidery machines, spare parts and devices, with industry-leading expertise in the field.

Its products include professional embroidery machines and various devices such as sequin, cording, towel, beads and glass pipe devices, as well as sequin punch machine, lace machine and beads & sequin sewing machine. These are widely used in domestic and international embroidery factories with an excellent reputation.

Backed by a professional R&D team—with senior engineers boasting 40 years of experience in the field—Qiaozheng ensures continuous product quality enhancement for superior client service.

Operating strictly in compliance with ISO9001 and CE standards, the company upholds the philosophy of "Innovation, Quality, Integrity", and commits to market leadership through innovation, stringent quality excellence, and win-win partnerships building on good faith.

1000+  
Customers  
服务客户数量

2000+  
Plant Area  
工厂面积

50+  
Markets  
销往国家

15+  
R&D  
研发人员

# ABOUT US


关于我们

乔正机械

温州乔正刺绣机械有限公司

双塘西路  
87-9




A vertical industrial machine, likely a precision welding or assembly unit. It features a central vertical column with various components. At the top, there's a control panel with a digital display showing '8', and several red buttons labeled 'P', 'I', 'AB+', and 'Y-'. Below this, there's a black cylindrical component. Further down, there's a black knob. At the bottom, there are two identical control panels, each with a digital display showing '8', and buttons labeled 'P', 'A+', 'A-', 'B+', and 'B-'. Each of these bottom panels has a yellow square logo with a red 'Q' inside. The machine is constructed from metal and has various cables and hoses attached. The background is white, and the bottom of the image has a solid orange band.

# QZ TBDS-001

# Four Beads & Double Sequin Device

四珠 / 叠



## QZ-FBDSD-001

|                                    |                                                                                                                                                      |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| 安装空间<br>Installaion Space Required | 110mm                                                                                                                                                |
| 安装位置<br>Installaion Position       | 首针或未针<br>Initial Needle or End Needle                                                                                                                |
| 最高速度<br>Max Speed                  | 800RPM                                                                                                                                               |
| 适用亮片<br>Applicable Sequin          | 2mm/3mm/4mm/5mm<br>6mm/9mm/11mm/12mm                                                                                                                 |
| 适用珠子<br>Applicable Beads           | 普通珠<br>Glass Beads 1.7mm/2mm<br>2.5mm/4mm<br>六角珠<br>Hexagon Beads 2.5mm<br>珠管<br>Glass Pipe 3mm/3.8mm/6mm<br>钻石<br>Diamond 4mm<br>米珠<br>Rice 3mm/4mm |

# Three Beads & Double Sequin Device

三珠 / 叠



## QZ-TBDSD-001

|                                    |                                                                                                                                                      |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| 安装空间<br>Installaion Space Required | 110mm                                                                                                                                                |
| 安装位置<br>Installaion Position       | 首针或未针<br>Initial Needle or End Needle                                                                                                                |
| 最高速度<br>Max Speed                  | 800RPM                                                                                                                                               |
| 适用亮片<br>Applicable Sequin          | 2mm/3mm/4mm/5mm<br>6mm/9mm/11mm/12mm                                                                                                                 |
| 适用珠子<br>Applicable Beads           | 普通珠<br>Glass Beads 1.7mm/2mm<br>2.5mm/4mm<br>六角珠<br>Hexagon Beads 2.5mm<br>珠管<br>Glass Pipe 3mm/3.8mm/6mm<br>钻石<br>Diamond 4mm<br>米珠<br>Rice 3mm/4mm |

# Double Beads & Double Sequin Device

双珠 / 叠




## QZ-DBDSD-001

|                                    |                                       |                        |  |
|------------------------------------|---------------------------------------|------------------------|--|
| 安装空间<br>Installaion Space Required | 70mm                                  |                        |  |
| 安装位置<br>Installaion Position       | 首针或未针<br>Initial Needle or End Needle |                        |  |
| 最高速度<br>Max Speed                  | 1000RPM                               |                        |  |
| 适用亮片<br>Appicable Sequin           | 2mm/3mm/4mm/5mm<br>6mm/9mm/11mm/12mm  |                        |  |
| 适用珠子<br>Appicable Beads            | 普通珠<br>Glass Beads                    | 1.7mm/2mm<br>2.5mm/4mm |  |
|                                    | 六角珠<br>Hexagon Beads                  | 2.5mm                  |  |
|                                    | 珠管<br>Glass Pipe                      | 3mm/3.8mm/6mm          |  |
|                                    | 钻石<br>Diamond                         | 4mm                    |  |
|                                    | 泡珠<br>Pearl                           | 3mm/4mm                |  |

# Single Beads & Double Sequin Device

单珠 / 叠




## QZ-SBDSD-001

|                                    |                                       |                        |  |
|------------------------------------|---------------------------------------|------------------------|--|
| 安装空间<br>Installaion Space Required | 70mm                                  |                        |  |
| 安装位置<br>Installaion Position       | 首针或未针<br>Initial Needle or End Needle |                        |  |
| 最高速度<br>Max Speed                  | 1000RPM                               |                        |  |
| 适用亮片<br>Appicable Sequin           | 2mm/3mm/4mm/5mm<br>6mm/9mm/11mm/12mm  |                        |  |
| 适用珠子<br>Appicable Beads            | 普通珠<br>Glass Beads                    | 1.7mm/2mm<br>2.5mm/4mm |  |
|                                    | 六角珠<br>Hexagon Beads                  | 2.5mm                  |  |
|                                    | 珠管<br>Glass Pipe                      | 3mm/3.8mm/6mm          |  |
|                                    | 钻石<br>Diamond                         | 4mm                    |  |
|                                    | 泡珠<br>Pearl                           | 3mm/4mm                |  |

# Double Beads Device

## 双色散珠




### QZ-DBD-001

|                                    |                                       |                        |  |
|------------------------------------|---------------------------------------|------------------------|--|
| 安装空间<br>Installaion Space Required | 70mm                                  |                        |  |
| 安装位置<br>Installaion Position       | 首针或未针<br>Initial Needle or End Needle |                        |  |
| 最高速度<br>Max Speed                  | 1000RPM                               |                        |  |
| 适用珠子<br>Applicable Beads           | 普通珠<br>Glass Beads                    | 1.7mm/2mm<br>2.5mm/4mm |  |
|                                    | 六角珠<br>Hexagon Beads                  | 2.5mm                  |  |
|                                    | 珠管<br>Glass Pipe                      | 3mm/3.8mm/6mm          |  |
|                                    | 钻石<br>Diamond                         | 4mm                    |  |
|                                    | 泡珠<br>Pearl                           | 3mm/4mm                |  |

# One Color Bead Device

## 单色散珠



### QZ-SBD-001

|                                    |                                       |                        |  |
|------------------------------------|---------------------------------------|------------------------|--|
| 安装空间<br>Installaion Space Required | 70mm                                  |                        |  |
| 安装位置<br>Installaion Position       | 首针或未针<br>Initial Needle or End Needle |                        |  |
| 最高速度<br>Max Speed                  | 1000RPM                               |                        |  |
| 适用珠子<br>Applicable Beads           | 普通珠<br>Glass Beads                    | 1.7mm/2mm<br>2.5mm/4mm |  |
|                                    | 六角珠<br>Hexagon Beads                  | 2.5mm                  |  |
|                                    | 珠管<br>Glass Pipe                      | 3mm/3.8mm/6mm          |  |
|                                    | 钻石<br>Diamond                         | 4mm                    |  |
|                                    | 泡珠<br>Pearl                           | 3mm/4mm                |  |



# Double Beads & Sequin Sewing Machine

补珠机

# Sequin Punch Machine

冲片机



## QZ-DBSSM-001

|                 |               |
|-----------------|---------------|
| 品牌<br>Brand     | 乔正            |
| 电压<br>Voltage   | 220 伏 /V      |
| 保修期<br>Warranty | 12 个月 /months |



## QZ-SPM-001

|                            |                                                                         |
|----------------------------|-------------------------------------------------------------------------|
| 亮片尺寸<br>Size of the Sequin | 2mm-12mm                                                                |
| 片材厚度<br>Thickness          | 0.08mm-0.15mm                                                           |
| 最高冲片速度<br>Max Sequin Speed | 750 转 /RPM                                                              |
| 功率<br>Power                | 1500 千瓦 /KW                                                             |
| 电压<br>Voltage              | 220 伏 /V                                                                |
| 亮片外形<br>Sequin Shape       | 素片, 树叶, 蝴蝶, 雪花<br>以及定制<br>plain, leaf, butterfly, snow or<br>customized |



# Disc Tape Beads Device

## (with Two Colors)

### 双盘珠

# Cording Device

## 绳绣

### QZ-DTBD-001

|                                    |                                       |                 |
|------------------------------------|---------------------------------------|-----------------|
| 安装空间<br>Installaion Space Required | 70mm                                  |                 |
| 安装位置<br>Installaion Position       | 首针或末针<br>Initial Needle or End Needle |                 |
| 最高速度<br>Max Speed                  | 1000RPM                               |                 |
| 适用珠子<br>Applicable Beads           | 普通珠<br>Glass Beads                    | 1.7mm/2mm/2.5mm |
|                                    | 六角珠<br>Hexagon Beads                  | 2.5mm           |
|                                    | 珠管<br>Glass Pipe                      | 无 /Non          |
|                                    | 钻石<br>Diamond                         | 无 /Non          |
|                                    | 泡珠<br>Pearl                           | 无 /Non          |

### QZ-CD-001

|                                  |                 |
|----------------------------------|-----------------|
| 直径<br>Specifications             | 0.2mm-3mm       |
| 气压<br>Air Pressure               | 3 千帕 /kPA       |
| 电机<br>Motor                      | 1.2A/1A         |
| 最高速度<br>Max Speed                | 700-1200 转 /RPM |
| 升降行程<br>Distance for up and down | 25mm            |
| 安装宽度<br>Device Width             | 38mm            |

### 简易毛巾装置

## Towel Device

### QZ-TD-001



## 单亮片 Single Sequin Device QZ-SSD-001

亮片直径  
Specifications 2mm/3mm/4mm/5mm  
6.75mm/9mm/11mm

电机  
Motor 1A/1.5A

最高速度  
Max Speed 1.2A/1A

最高速度  
Max Speed 2mm-4mm 1200 转 /RPM  
5mm-7mm 1000 转 /RPM  
9mm-12mm 1200 转 /RPM

升降行程  
Distance for up  
and down 55mm

保修期  
Warranty 12 个月 /months



## 激光 CO<sub>2</sub> Radio Frequency Laser QZ-LD-001

## 双亮片 Double Sequin Device QZ-DSD-001

亮片直径  
Specifications 2mm/3mm/4mm/5mm  
6.75mm/9mm/11mm

电机  
Motor 1A/1.5A

最高速度  
Max Speed 1.2A/1A

最高速度  
Max Speed 2mm-4mm 1200 转 /RPM  
5mm-7mm 1000 转 /RPM  
9mm-12mm 1200 转 /RPM

升降行程  
Distance for up  
and down 55mm

保修期  
Warranty 12 个月 /months




## 激光 CO<sub>2</sub> Radio Frequency Laser QZ-LD-002



# Accessories

## 配件



温州乔正刺绣机械有限公司  
Wenzhou Qiaozheng Machinery Co., Ltd.

地址：浙江省温州市瓯海区双堡西路 87-9 号  
电话：0577-8873 9106  
传真：0577-8873 9103  
手机：86-133 9698 9028  
网址：www.qiaozn.com  
邮箱：moon.h@qiaozn.com  
微信 /WhatsApp：86-133 9698 9028  
QQ：416990345

Address: No.87-9, Shuangbaoxi Road, Ouhai,  
Wenzhou City, Zhejiang Province, China  
Tel: 86-577-8873 9105  
Fax: 86-577-8873 9103  
Mobile: 86-139 1760 1320  
Website: www.qiaozn.com  
Email: richard.z@qiaozn.com  
WhatsApp/Wechat: 86-139 1760 1320  
QQ: 44044132  
Contact: Richard Zheng(Import & Export Manager)

